



10/617645

SIMMONS & DERRINGTON, L.L.P.

A LIMITED LIABILITY PARTNERSHIP
FROST BANK BUILDING
6750 W. LOOP SOUTH, SUITE 920
HOUSTON, TEXAS 77401
(713) 977-0723
FAX (713) 552-0110
WWW.SDIPLAW.COM

egc

Keith R. Derrington
keith.derrington@sdiplaw.com

102.55

February 20, 2006

In re Application of:
Rolon et al.

§
§
§
§
§
§
§
§
§
§

Group Art Unit: 2851

Patent No.: **6,961,118 B2**

Examiner: Not Yet Assigned

Issue Date: **November 1, 2005**

Docket No.: **584-30865 US (102.55)**

Title: **CONTINUOUS PAPER FEED
SYSTEM**

Via First Class Mail

Attention Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
MAR 01 2006
of Correction

Sir:


Transmitted herewith is a **Certificate of Correction** in the above-identified Application. Also enclosed is a **postcard** for acknowledgment of the enclosed documents.

Should you have any questions or comments, please contact this office at the number indicated above. Thank you for your attention to this matter.

Very truly yours,

Keith R. Derrington

KRD:dmw
Enclosures



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Rolon et al.

Patent No.: **6,961,118 B2**

Issue Date: **November 1, 2005**

Title: **CONTINUOUS PAPER FEED
SYSTEM**

§ Group Art Unit: **2851**

§

§

§ Examiner: **Della J. Rutledge**

§

§

§ Docket No.: **584-30865 US (102.55)**

**Attention Certificate of Corrections
Branch**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this paper or fee is being deposited with the United States Postal Service as First Class Mail under 37 C.F.R. 1.8 on the date indicated below in an envelope addressed to:

Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450

Dorothy Williams

Signature
2-20-06

Date

CERTIFICATE OF CORRECTION

Dear Sir:

Applicants would like to have the corrections made to the issued patent as indicated on the attached Certificate of Correction. The attached Certificate of Correction applies the Assignment recorded at **Reel 014398** and **Frame 0403**, which is in addition to the Assignee already recorded on the Patent (**Reel 014398** and **Frame 0406**).

Respectfully submitted,

Keith R. Derrington

Reg. No. 44,061

Simmons & Derrington, L.L.P.

Frost Bank Building

6750 West Loop South, Suite 920

Bellaire, Texas 77401

telephone: 713-977-0723

facsimile: 713-552-0110

ATTORNEY FOR APPLICANTS

Date: February 20, 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 6,961,118 B2

APPLICATION NO.: 10/617,645

ISSUE DATE : November 1, 2005

INVENTOR(S) : Arnaldo Rolon, Harold Andrade, John Salyer

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please add the following as Assignee:

Rolon Engineering Associates
11831 Moorecreek
Houston, Texas 77070

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Keith R. Derrington
6750 West Loop South, Suite 920
Bellaire, TX 77401

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.